



# STATEMENT OF ENERGY PERFORMANCE

## District1- District Office/shop complex, Topeka

Building ID: 2777632  
 For 12-month Period Ending: September 30, 2010<sup>1</sup>  
 Date SEP becomes Ineligible: N/A

Date SEP Generated: July 16, 2011

**Facility**  
 District1- District Office/shop complex,  
 Topeka  
 121 W 21st,  
 Topeka, KS 66612-1429

**Facility Owner**  
 Kansas Department of Transportation  
 700 SW Harrison, 6th Floor  
 Topeka, KS 66603

**Primary Contact for this Facility**  
 Peter Carttar  
 700 SW Harrison, 6th floor  
 Topeka, KS 66603

**Year Built:** 1961  
**Gross Floor Area (ft<sup>2</sup>):** 117,995

**Energy Performance Rating<sup>2</sup> (1-100)** 11

**Site Energy Use Summary<sup>3</sup>**

Electricity - Grid Purchase(kBtu)	11,551,834
Natural Gas (kBtu) <sup>4</sup>	556,792
<b>Total Energy (kBtu)</b>	<b>12,108,626</b>

**Energy Intensity<sup>4</sup>**

Site (kBtu/ft <sup>2</sup> /yr)	103
Source (kBtu/ft <sup>2</sup> /yr)	332

**Emissions (based on site energy use)**

Greenhouse Gas Emissions (MtCO <sub>2</sub> e/year)	2,806
---	-------

**Electric Distribution Utility**

Westar Energy Inc

**National Average Comparison**

National Average Site EUI	63
National Average Source EUI	203
% Difference from National Average Source EUI	63%
Building Type	Office

Stamp of Certifying Professional

Based on the conditions observed at the time of my visit to this building, I certify that the information contained within this statement is accurate.

**Meets Industry Standards<sup>6</sup> for Indoor Environmental Conditions:**

Ventilation for Acceptable Indoor Air Quality	N/A
Acceptable Thermal Environmental Conditions	N/A
Adequate Illumination	N/A

**Certifying Professional**  
 N/A

**Notes:**

1. Application for the ENERGY STAR must be submitted to EPA within 4 months of the Period Ending date. Award of the ENERGY STAR is not final until approval is received from EPA.
2. The EPA Energy Performance Rating is based on total source energy. A rating of 75 is the minimum to be eligible for the ENERGY STAR.
3. Values represent energy consumption, annualized to a 12-month period.
4. Values represent energy intensity, annualized to a 12-month period.
5. Based on Meeting ASHRAE Standard 62 for ventilation for acceptable indoor air quality, ASHRAE Standard 55 for thermal comfort, and IESNA Lighting Handbook for lighting quality.

The government estimates the average time needed to fill out this form is 6 hours (includes the time for entering energy/water use suggestions for reducing this level of effort. Send comments (referencing OMB control number) to the Director, NW, Washington, D.C. 20460.